ELSEVIER

Hearing Research 155 (2001) 184–185

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 155

Addicks, K., see Michel, O. (155) 175
Altschuler, R.A., see Stöver, T. (155) 143
Ando, M., see Takeuchi, S. (155) 103
Arezzo, J.C., see Fishman, Y.I. (155) 183

Bloch, W., see Michel, O. (155) 175
Brown, I.R., see Mothe, A.J. (155) 161
Burkard, R., see Phillips, D.P. (155) 133

Cant, N.B., see Tucci, D.L. (155) 124
Cetas, J.S., Price, R.O., Velenovsky, D.S., Sinex, D.G. and McMullen, N.T.
Frequency organization and cellular lamination in the medial geniculate body of the rabbit (155) 113
Clark, G.M., see Cohen, L.T. (155) 63
Cohen, L.T., Saunders, E. and Clark, G.M.
Psychophysics of a prototype peri-modiolar cochlear implant electrode array (155) 63
Cortopassi, G.A., see Davis, R.R. (155) 82

Davis, R.R., Newlander, J.K., Ling, X.-B., Cortopassi, G.A., Krieg, E.F. and Erway, L.C.
Genetic basis for susceptibility to noise-induced hearing loss in mice (155) 82
Durham, D., see Tucci, D.L. (155) 124

Erway, L.C., see Davis, R.R. (155) 82

Fishman, Y.I., Reser, D.H., Arezzo, J.C. and Steinschneider, M.
Erratum to "Neural correlates of auditory stream segregation in primary auditory cortex of the awake monkey". [Hear. Res. 151 (2001) 167–187) (155) 183
Forge, A., see Sha, S.-H. (155) 1

Glasberg, B.R., Moore, B.C.J. and Peters, R.W.
The influence of external and internal noise on the detection of increments and decrements in the level of sinusoids (155) 41
Gong, T.-W.L., see Stöver, T. (155) 143
Guo, Y., see Phillips, D.P. (155) 133

Hall, S.E., see Phillips, D.P. (155) 133
Henry, K.R. and Lewis, E.R.
Cochlear nerve acoustic envelope response detection is improved by the addition of random-phased tonal stimuli (155) 91
Hess, A., see Michel, O. (155) 175

Kakigi, A., see Takeuchi, S. (155) 103
Kempton, J.B., see Trune, D.R. (155) 9
Krieg, E.F., see Davis, R.R. (155) 82

Lewis, E.R., see Henry, K.R. (155) 91
Ling, X.-B., see Davis, R.R. (155) 82
Lomax, M.I., see Stöver, T. (155) 143

McMullen, N.T., see Cetas, J.S. (155) 113
Michel, O., Hess, A., Bloch, W., Schmidt, A., Stennert, E. and Addicks, K.
Immunohistochemical detection of vascular endothelial growth factor (VEGF) and VEGF receptors Flt-1 and KDR/Flk-1 in the cochlea of guinea pigs (155) 175
Moore, B.C.J., see Glasberg, B.R. (155) 41
Mothe, A.J. and Brown, I.R.
Expression of mRNA encoding extracellular matrix glycoproteins SPARC and SC1 is temporally and spatially regulated in the developing cochlea of the rat inner ear (155) 161

Naftalin, L.
Letter to the Editor (155) 181
Nam, Y.-J., see Stöver, T. (155) 143
Newlander, J.K., see Davis, R.R. (155) 82
Nuttall, A.L., see Qiu, J.-H. (155) 152

Peters, R.W., see Glasberg, B.R. (155) 41
Phillips, D.P., Hall, S.E., Guo, Y. and Burkard, R.
Sensitivity of unanesthetized chinchilla auditory system to noise burst onset, and the effects of carboplatin (155) 133
Pickles, J.O.
The expression of fibroblast growth factors and their receptors in the embryonic and neonatal mouse inner ear (155) 54
Price, R.O., see Cetas, J.S. (155) 113
Prijs, V.F., see Schneider, S. (155) 21

Qiu, J.-H., Steyger, P.S., Trune, D.R. and Nuttall, A.L.
Co-existence of tyrosine hydroxylase and calcitonin gene-related peptide in cochlear spiral modiolar artery of guinea pigs (155) 152

Reser, D.H., see Fishman, Y.I. (155) 183
Rybalko, N. and Syka, J.
Susceptibility to noise exposure during postnatal development in rats (155) 32

Sato, T., see Takeuchi, S. (155) 103
Saunders, E., see Cohen, L.T. (155) 63
Schacht, J., see Sha, S.-H. (155) 1
Schmidt, A., see Michel, O. (155) 175
Schneider, S., Schoonhoven, R. and Prijs, V.F.
Amplitude of distortion product otoacoustic emissions in the guinea pig in f_1- and f_2-sweep paradigms (155) 21
Schoonhoven, R., see Schneider, S. (155) 21
Sha, S.-H., Taylor, R., Forge, A. and Schacht, J.
Differential vulnerability of basal and apical hair cells is based on intrinsic susceptibility to free radicals (155) 1
Sinex, D.G., see Cetas, J.S. (155) 113
Steinschneider, M., see Fishman, Y.I. (155) 183
Stennert, E., see Michel, O. (155) 175
Steyger, P.S., see Qiu, J.-H. (155) 152
Stöver, T., Nam, Y.-J., Gong, T.-W.L., Lomax, M.I. and Altschuler, R.A.
Glial cell line-derived neurotrophic factor (GDNF) and its receptor

PII: S0378-5955(01)00273-8

ELSEVIER

Hearing Research 155 (2001) 184–185

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 155

Addicks, K., see Michel, O. (155) 175
Altschuler, R.A., see Stöver, T. (155) 143
Ando, M., see Takeuchi, S. (155) 103
Arezzo, J.C., see Fishman, Y.I. (155) 183

Bloch, W., see Michel, O. (155) 175
Brown, I.R., see Mothe, A.J. (155) 161
Burkard, R., see Phillips, D.P. (155) 133

Cant, N.B., see Tucci, D.L. (155) 124
Cetas, J.S., Price, R.O., Velenovsky, D.S., Sinex, D.G. and McMullen, N.T.
Frequency organization and cellular lamination in the medial geniculate body of the rabbit (155) 113
Clark, G.M., see Cohen, L.T. (155) 63
Cohen, L.T., Saunders, E. and Clark, G.M.
Psychophysics of a prototype peri-modiolar cochlear implant electrode array (155) 63
Cortopassi, G.A., see Davis, R.R. (155) 82

Davis, R.R., Newlander, J.K., Ling, X.-B., Cortopassi, G.A., Krieg, E.F. and Erway, L.C.
Genetic basis for susceptibility to noise-induced hearing loss in mice (155) 82
Durham, D., see Tucci, D.L. (155) 124

Erway, L.C., see Davis, R.R. (155) 82

Fishman, Y.I., Reser, D.H., Arezzo, J.C. and Steinschneider, M.
Erratum to "Neural correlates of auditory stream segregation in primary auditory cortex of the awake monkey". [Hear. Res. 151 (2001) 167–187) (155) 183
Forge, A., see Sha, S.-H. (155) 1

Glasberg, B.R., Moore, B.C.J. and Peters, R.W.
The influence of external and internal noise on the detection of increments and decrements in the level of sinusoids (155) 41
Gong, T.-W.L., see Stöver, T. (155) 143
Guo, Y., see Phillips, D.P. (155) 133

Hall, S.E., see Phillips, D.P. (155) 133
Henry, K.R. and Lewis, E.R.
Cochlear nerve acoustic envelope response detection is improved by the addition of random-phased tonal stimuli (155) 91
Hess, A., see Michel, O. (155) 175

Kakigi, A., see Takeuchi, S. (155) 103
Kempton, J.B., see Trune, D.R. (155) 9
Krieg, E.F., see Davis, R.R. (155) 82

Lewis, E.R., see Henry, K.R. (155) 91
Ling, X.-B., see Davis, R.R. (155) 82
Lomax, M.I., see Stöver, T. (155) 143

McMullen, N.T., see Cetas, J.S. (155) 113
Michel, O., Hess, A., Bloch, W., Schmidt, A., Stennert, E. and Addicks, K.
Immunohistochemical detection of vascular endothelial growth factor (VEGF) and VEGF receptors Flt-1 and KDR/Flk-1 in the cochlea of guinea pigs (155) 175
Moore, B.C.J., see Glasberg, B.R. (155) 41
Mothe, A.J. and Brown, I.R.
Expression of mRNA encoding extracellular matrix glycoproteins SPARC and SC1 is temporally and spatially regulated in the developing cochlea of the rat inner ear (155) 161

Naftalin, L.
Letter to the Editor (155) 181
Nam, Y.-J., see Stöver, T. (155) 143
Newlander, J.K., see Davis, R.R. (155) 82
Nuttall, A.L., see Qiu, J.-H. (155) 152

Peters, R.W., see Glasberg, B.R. (155) 41
Phillips, D.P., Hall, S.E., Guo, Y. and Burkard, R.
Sensitivity of unanesthetized chinchilla auditory system to noise burst onset, and the effects of carboplatin (155) 133
Pickles, J.O.
The expression of fibroblast growth factors and their receptors in the embryonic and neonatal mouse inner ear (155) 54
Price, R.O., see Cetas, J.S. (155) 113
Prijs, V.F., see Schneider, S. (155) 21

Qiu, J.-H., Steyger, P.S., Trune, D.R. and Nuttall, A.L.
Co-existence of tyrosine hydroxylase and calcitonin gene-related peptide in cochlear spiral modiolar artery of guinea pigs (155) 152

Reser, D.H., see Fishman, Y.I. (155) 183
Rybalko, N. and Syka, J.
Susceptibility to noise exposure during postnatal development in rats (155) 32

Sato, T., see Takeuchi, S. (155) 103
Saunders, E., see Cohen, L.T. (155) 63
Schacht, J., see Sha, S.-H. (155) 1
Schmidt, A., see Michel, O. (155) 175
Schneider, S., Schoonhoven, R. and Prijs, V.F.
Amplitude of distortion product otoacoustic emissions in the guinea pig in f_1- and f_2-sweep paradigms (155) 21
Schoonhoven, R., see Schneider, S. (155) 21
Sha, S.-H., Taylor, R., Forge, A. and Schacht, J.
Differential vulnerability of basal and apical hair cells is based on intrinsic susceptibility to free radicals (155) 1
Sinex, D.G., see Cetas, J.S. (155) 113
Steinschneider, M., see Fishman, Y.I. (155) 183
Stennert, E., see Michel, O. (155) 175
Steyger, P.S., see Qiu, J.-H. (155) 152
Stöver, T., Nam, Y.-J., Gong, T.-W.L., Lomax, M.I. and Altschuler, R.A.
Glial cell line-derived neurotrophic factor (GDNF) and its receptor

PII: S0378-5955(01)00273-8

complex are expressed in the auditory nerve of the mature rat cochlea (155) 143
Syka, J., see Rybalko, N. (155) 32

Takeda, T.
Author's reply (155) 182
Takeuchi, S., Ando, M., Sato, T. and Kakigi, A.
Three-dimensional and ultrastructural relationships between intermediate cells and capillaries in the gerbil stria vascularis (155) 103
Taylor, R., see Sha, S.-H. (155) 1
Trune, D.R., see Qiu, J.-H. (155) 152
Trune, D.R. and Kempton, J.B.
Aldosterone and prednisolone control of cochlear function in MRL/MpJ-*Fas*^{lpr} autoimmune mice (155) 9
Tucci, D.L., Cant, N.B. and Durham, D.
Effects of conductive hearing loss on gerbil central auditory system activity in silence (155) 124

Velenovsky, D.S., see Cetas, J.S. (155) 113

ELSEVIER

Hearing Research 155 (2001) 186–188

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 155

Ac response
Stochastic resonance; Phase locking; Dithering; Dc response (Henry, K.R. (155) 91)

Age-related
Mouse; Noise-induced; Hearing loss; Genetic (Davis, R.R. (155) 82)

Aldosterone
Autoimmune hearing loss; MRL/MpJ-*Fas*^{lpr} autoimmune mouse; Prednisolone; Systemic lupus erythematosus (Trune, D.R. (155) 9)

Amplitude
Distortion product otoacoustic emission; f_2/f_1 ratio; Guinea pig; f_1-sweep; f_2-sweep (Schneider, S. (155) 21)

Antioxidant
Cochlea; Reactive oxygen species; Free radical; Ototoxicity (Sha, S.-H. (155) 1)

Auditory nerve
Evoked response; Inferior colliculus; Noise onset; Carboplatin (Phillips, D.P. (155) 133)

Glial cell line-derived neurotrophic factor; Ret; GDNF-family receptor α 1; Reverse transcription-polymerase chain reaction; Western blot; Immunocytochemistry (Stöver, T. (155) 143)

Autoimmune hearing loss
MRL/MpJ-*Fas*^{lpr} autoimmune mouse; Aldosterone; Prednisolone; Systemic lupus erythematosus (Trune, D.R. (155) 9)

Calcitonin gene-related peptide
Spiral modiolar artery; Tyrosine hydroxylase; Immunofluorescence; Cochlea (Qiu, J.-H. (155) 152)

Calcium-binding glycoprotein
Extracellular matrix; In situ hybridization; Organ of Corti; Deiters cell; Spiral ganglion neuron (Mothe, A.J. (155) 161)

Carboplatin
Evoked response; Auditory nerve; Inferior colliculus; Noise onset (Phillips, D.P. (155) 133)

Cochlea
Spiral modiolar artery; Tyrosine hydroxylase; Calcitonin gene-related peptide; Immunofluorescence (Qiu, J.-H. (155) 152)

Vascular endothelial growth factor; Vascular endothelial growth factor receptor; Nitric oxide/cGMP pathway (Michel, O. (155) 175)

Fibroblast growth factor; Fibroblast growth factor receptor; FGF3; FGF8; Development; Mouse; Otocyst (Pickles, J.O. (155) 54)

Reactive oxygen species; Free radical; Antioxidant; Ototoxicity (Sha, S.-H. (155) 1)

Cochlear implant
Peri-modiolar electrode array; Spread of neural excitation; Electrode discrimination; Forward masking; Loudness growth (Cohen, L.T. (155) 63)

Conductive hearing loss
Deprivation; 2-Deoxyglucose; Plasticity (Tucci, D.L. (155) 124)

Confocal laser microscopy
Melanocyte; Electron microscopy; Gap junction; K^+ channel; Spatial K^+ buffering (Takeuchi, S. (155) 103)

Dc response
Stochastic resonance; Phase locking; Dithering; Ac response (Henry, K.R. (155) 91)

Decrement detection
Increment detection; Noise (Glasberg, B.R. (155) 41)

Deiters cell
Extracellular matrix; Calcium-binding glycoprotein; In situ hybridization; Organ of Corti; Spiral ganglion neuron (Mothe, A.J. (155) 161)

2-Deoxyglucose
Conductive hearing loss; Deprivation; Plasticity (Tucci, D.L. (155) 124)

Deprivation
Conductive hearing loss; 2-Deoxyglucose; Plasticity (Tucci, D.L. (155) 124)

Development
Fibroblast growth factor; Fibroblast growth factor receptor; FGF3; FGF8; Cochlea; Mouse; Otocyst (Pickles, J.O. (155) 54)

Distortion product otoacoustic emission
Amplitude; f_2/f_1 ratio; Guinea pig; f_1-sweep; f_2-sweep (Schneider, S. (155) 21)

Dithering
Stochastic resonance; Phase locking; Ac response; Dc response (Henry, K.R. (155) 91)

Electrode discrimination
Cochlear implant; Peri-modiolar electrode array; Spread of neural excitation; Forward masking; Loudness growth (Cohen, L.T. (155) 63)

PII: S0378-5955(01)00274-X

Electron microscopy
Melanocyte; Confocal laser microscopy; Gap junction; K^+ channel; Spatial K^+ buffering (Takeuchi, S. (155) 103)

Enhancement
Noise exposure; Young rat; Evoked response; Threshold shift (Rybalko, N. (155) 32)

Evoked response
Auditory nerve; Inferior colliculus; Noise onset; Carboplatin (Phillips, D.P. (155) 133)

Noise exposure; Young rat; Threshold shift; Enhancement (Rybalko, N. (155) 32)

Extracellular matrix
Calcium-binding glycoprotein; In situ hybridization; Organ of Corti; Deiters cell; Spiral ganglion neuron (Mothe, A.J. (155) 161)

FGF3
Fibroblast growth factor; Fibroblast growth factor receptor; FGF8; Cochlea; Development; Mouse; Otocyst (Pickles, J.O. (155) 54)

FGF8
Fibroblast growth factor; Fibroblast growth factor receptor; FGF3; Cochlea; Development; Mouse; Otocyst (Pickles, J.O. (155) 54)

Fibroblast growth factor
Fibroblast growth factor receptor; FGF3; FGF8; Cochlea; Development; Mouse; Otocyst (Pickles, J.O. (155) 54)

Fibroblast growth factor receptor
Fibroblast growth factor; FGF3; FGF8; Cochlea; Development; Mouse; Otocyst (Pickles, J.O. (155) 54)

Forward masking
Cochlear implant; Peri-modiolar electrode array; Spread of neural excitation; Electrode discrimination; Loudness growth (Cohen, L.T. (155) 63)

Free radical
Cochlea; Reactive oxygen species; Antioxidant; Ototoxicity (Sha, S.-H. (155) 1)

Gap junction
Melanocyte; Confocal laser microscopy; Electron microscopy; K^+ channel; Spatial K^+ buffering (Takeuchi, S. (155) 103)

GDNF-family receptor α 1
Auditory nerve; Glial cell line-derived neurotrophic factor; Ret; Reverse transcription-polymerase chain reaction; Western blot; Immunocytochemistry (Stöver, T. (155) 143)

Genetic
Mouse; Noise-induced; Age-related; Hearing loss (Davis, R.R. (155) 82)

Glial cell line-derived neurotrophic factor
Auditory nerve; Ret; GDNF-family receptor α 1; Reverse transcription-polymerase chain reaction; Western blot; Immunocytochemistry (Stöver, T. (155) 143)

Guinea pig
Distortion product otoacoustic emission; Amplitude; f_2/f_1 ratio; f_1-sweep; f_2-sweep (Schneider, S. (155) 21)

Hearing
Thalamus; Inferior colliculus; Pitch coding; Tonotopicity (Cetas, J.S. (155) 113)

Hearing loss
Mouse; Noise-induced; Age-related; Genetic (Davis, R.R. (155) 82)

Immunocytochemistry
Auditory nerve; Glial cell line-derived neurotrophic factor; Ret; GDNF-family receptor α 1; Reverse transcription-polymerase chain reaction; Western blot (Stöver, T. (155) 143)

Immunofluorescence
Spiral modiolar artery; Tyrosine hydroxylase; Calcitonin gene-related peptide; Cochlea (Qiu, J.-H. (155) 152)

In situ hybridization
Extracellular matrix; Calcium-binding glycoprotein; Organ of Corti; Deiters cell; Spiral ganglion neuron (Mothe, A.J. (155) 161)

Increment detection
Decrement detection; Noise (Glasberg, B.R. (155) 41)

Inferior colliculus
Evoked response; Auditory nerve; Noise onset; Carboplatin (Phillips, D.P. (155) 133)

Hearing; Thalamus; Pitch coding; Tonotopicity (Cetas, J.S. (155) 113)

K^+ channel
Melanocyte; Confocal laser microscopy; Electron microscopy; Gap junction; Spatial K^+ buffering (Takeuchi, S. (155) 103)

Loudness growth
Cochlear implant; Peri-modiolar electrode array; Spread of neural excitation; Electrode discrimination; Forward masking (Cohen, L.T. (155) 63)

Melanocyte
Confocal laser microscopy; Electron microscopy; Gap junction; K^+ channel; Spatial K^+ buffering (Takeuchi, S. (155) 103)

Mouse
Fibroblast growth factor; Fibroblast growth factor receptor; FGF3; FGF8; Cochlea; Development; Otocyst (Pickles, J.O. (155) 54)

Noise-induced; Age-related; Hearing loss; Genetic (Davis, R.R. (155) 82)

MRL/MpJ-*Fas^{lpr}* autoimmune mouse
Autoimmune hearing loss; Aldosterone; Prednisolone; Systemic lupus erythematosus (Trune, D.R. (155) 9)

Nitric oxide/cGMP pathway
Vascular endothelial growth factor; Vascular endothelial growth factor receptor; Cochlea (Michel, O. (155) 175)

Noise
Increment detection; Decrement detection (Glasberg, B.R. (155) 41)

Noise exposure
Young rat; Evoked response; Threshold shift; Enhancement (Rybalko, N. (155) 32)

Noise onset
Evoked response; Auditory nerve; Inferior colliculus; Carboplatin (Phillips, D.P. (155) 133)

Noise-induced

Mouse; Age-related; Hearing loss; Genetic (Davis, R.R. (155) 82)

Organ of Corti

Extracellular matrix; Calcium-binding glycoprotein; In situ hybridization; Deiters cell; Spiral ganglion neuron (Mothe, A.J. (155) 161)

Otocyst

Fibroblast growth factor; Fibroblast growth factor receptor; FGF3; FGF8; Cochlea; Development; Mouse (Pickles, J.O. (155) 54)

Ototoxicity

Cochlea; Reactive oxygen species; Free radical; Antioxidant (Sha, S.-H. (155) 1)

Peri-modiolar electrode array

Cochlear implant; Spread of neural excitation; Electrode discrimination; Forward masking; Loudness growth (Cohen, L.T. (155) 63)

Phase locking

Stochastic resonance; Dithering; Ac response; Dc response (Henry, K.R. (155) 91)

Pitch coding

Hearing; Thalamus; Inferior colliculus; Tonotopicity (Cetas, J.S. (155) 113)

Plasticity

Conductive hearing loss; Deprivation; 2-Deoxyglucose (Tucci, D.L. (155) 124)

Prednisolone

Autoimmune hearing loss; MRL/MpJ-*Fas*^{lpr} autoimmune mouse; Aldosterone; Systemic lupus erythematosus (Trune, D.R. (155) 9)

f_2/f_1 ratio

Distortion product otoacoustic emission; Amplitude; Guinea pig; f_1-sweep; f_2-sweep (Schneider, S. (155) 21)

Reactive oxygen species

Cochlea; Free radical; Antioxidant; Ototoxicity (Sha, S.-H. (155) 1)

Ret

Auditory nerve; Glial cell line-derived neurotrophic factor; GDNF-family receptor α 1; Reverse transcription-polymerase chain reaction; Western blot; Immunocytochemistry (Stöver, T. (155) 143)

Reverse transcription-polymerase chain reaction

Auditory nerve; Glial cell line-derived neurotrophic factor; Ret; GDNF-family receptor α 1; Western blot; Immunocytochemistry (Stöver, T. (155) 143)

Spatial K^+ buffering

Melanocyte; Confocal laser microscopy; Electron microscopy; Gap junction; K^+ channel (Takeuchi, S. (155) 103)

Spiral ganglion neuron

Extracellular matrix; Calcium-binding glycoprotein; In situ hybridization; Organ of Corti; Deiters cell (Mothe, A.J. (155) 161)

Spiral modiolar artery

Tyrosine hydroxylase; Calcitonin gene-related peptide; Immunofluorescence; Cochlea (Qiu, J.-H. (155) 152)

Spread of neural excitation

Cochlear implant; Peri-modiolar electrode array; Electrode discrimination; Forward masking; Loudness growth (Cohen, L.T. (155) 63)

Stochastic resonance

Phase locking; Dithering; Ac response; Dc response (Henry, K.R. (155) 91)

f_1-sweep

Distortion product otoacoustic emission; Amplitude; f_2/f_1 ratio; Guinea pig; f_2-sweep (Schneider, S. (155) 21)

f_2-sweep

Distortion product otoacoustic emission; Amplitude; f_2/f_1 ratio; Guinea pig; f_1-sweep (Schneider, S. (155) 21)

Systemic lupus erythematosus

Autoimmune hearing loss; MRL/MpJ-*Fas*^{lpr} autoimmune mouse; Aldosterone; Prednisolone (Trune, D.R. (155) 9)

Thalamus

Hearing; Inferior colliculus; Pitch coding; Tonotopicity (Cetas, J.S. (155) 113)

Threshold shift

Noise exposure; Young rat; Evoked response; Enhancement (Rybalko, N. (155) 32)

Tonotopicity

Hearing; Thalamus; Inferior colliculus; Pitch coding (Cetas, J.S. (155) 113)

Tyrosine hydroxylase

Spiral modiolar artery; Calcitonin gene-related peptide; Immunofluorescence; Cochlea (Qiu, J.-H. (155) 152)

Vascular endothelial growth factor

Vascular endothelial growth factor receptor; Nitric oxide/cGMP pathway; Cochlea (Michel, O. (155) 175)

Vascular endothelial growth factor receptor

Vascular endothelial growth factor; Nitric oxide/cGMP pathway; Cochlea (Michel, O. (155) 175)

Western blot

Auditory nerve; Glial cell line-derived neurotrophic factor; Ret; GDNF-family receptor α 1; Reverse transcription-polymerase chain reaction; Immunocytochemistry (Stöver, T. (155) 143)

Young rat

Noise exposure; Evoked response; Threshold shift; Enhancement (Rybalko, N. (155) 32)